

REC'D 27 JAN 2005

WIPO

PCT

IB/05/030290

PA 1143564

# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

March 11, 2004

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.


APPLICATION NUMBER: 60/539,785 ✓

FILING DATE: January 27, 2004 ✓

## PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

By Authority of the  
COMMISSIONER OF PATENTS AND TRADEMARKS



P. SWAIN

Certifying Officer

Please type a plus sign (+) inside this box →



PTO/SB/16 (02-01)

Approved for use through 10/31/2002. OMB 0851-0032  
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

**PROVISIONAL APPLICATION FOR PATENT COVER SHEET**

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53 (c).

Express Mail Label No. EV 312 069 437

Date of Deposit: 27 JANUARY 2004

**INVENTOR(S)**

Given Name (first and middle [if any])	Family Name or Surname	Residence (City and either State or Foreign Country)
PETER	RIJSKAMP	4 KISMIS PLACE, SINGAPORE, 598155

☐ Additional inventors are being named on the \_\_\_\_\_ separately numbered sheets attached hereto**TITLE OF THE INVENTION (280 characters max)****FOLDABLE CORDLESS HAIR STYLER****CORRESPONDENCE ADDRESS**

Direct all correspondence to:

☒ Customer Number

24737

OR

Type Customer Number here

**\*24737\***☐ Firm or  
Individual Name

Address

Address

City

State

ZIP

Country

Telephone

Fax

**ENCLOSED APPLICATION PARTS (check all that apply)**☒ Specification Number of Pages

9

☐ CD(s), Number☒ Drawing(s) Number of Sheets

7

☐ Other (specify)☐ Application Data Sheet. See 37 CFR 1.76**METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT (check one)**☐ Applicant claims small entity status. See 37 CFR 1.27.☐ A check or money order is enclosed to cover the filing feesFILING FEE  
AMOUNT (\$)☒ The Commissioner is hereby authorized to charge filing  
fees or credit any overpayment to Deposit Account Number:

14-1270

160.00

☐ Payment by credit card. Form PTO-2038 is attached.

The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.

☒ No.☐ Yes, the name of the U.S. Government agency and the Government contract number are: \_\_\_\_\_.

Respectfully submitted,

SIGNATURE

Date

27 JANUARY 2004

REGISTRATION NO.: 28,613

TYPED or PRINTED NAME

EDWARD W. GOODMAN for  
ERNESTINE C. BARTLETT

(if appropriate)

Docket Number:

US040089

TELEPHONE

(914) 333-9640

**USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT**

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C., 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Alexandria, VA 22313-1450.

### FOLDABLE CORDLESS HAIR STYLER

The invention relates generally to cordless hair stylers and more specifically to a foldable cordless hair styler which is enclosed in a soft protective fabric-like body and which is designed for travel and may be unwrapped, unfolded and rewrapped to assume a usable condition wherein a user may style his or her hair.

- 5 Previously proposed foldable/collapsible cordless electric hair curling appliances have been proposed wherein the heating element (e.g. wand) and the hair clamp member are pivotally supported on a handle in which the wand is stored during non-use. However, these arrangement are constructed of rigid bodies/components whose configurations are not variable, and which can resist being disposed in very limited and odd shaped spaces which
- 10 is inevitably left in over-filled bags/suitcases when a person is about to embark on a trip, for example. Further, due to the rigid nature of the housing in which the wand/batteries (for example) are housed, damage can occur if the bag/suitcases in which the styler is carried is dropped or subject to excessive force by surrounding luggage items.
- The present invention is directed to a foldable cordless hair styler wherein the body of the
- 15 device is formed of a soft pliable protective member which can be wrapped and unwrapped, in a manner similar to a padded blanket, and thus about the accessory (e.g. wand/clamp) and batteries. This soft body allows for a limited amount of displacement between the just mentioned elements as well as eliminating the rigid handle element which are used in the prior art hair styler arrangements. The soft, flexible housing member also
- 20 allows for unwrapping of the housing, pivoting of an attachment to an operative position, and the re-wrapping of the body in which pulls the battery pack or packs into position against an elongate support member on the end of which the attachment is pivotally supported. The battery pack or packs, in which the batteries are stored, are therefore moved into the position previously occupied by the attachment and, with the elongate
- 25 member, form a handle arrangement having a thickness suitable for the user to hold is formed while the device is in use.

- More specifically, the present invention relates a cordless hair styler comprising: a flexible body (102) comprising a flat flexible sheet of fabric which can be wrapped and unwrapped about rigid members (110, 112, 116) of the cordless hair styler to hold the rigid
- 30 members in a selected compact storage and handy operative positions, respectively.

In the disclosed embodiments, the rigid members comprise an attachment (112); an elongate member (110) on which the attachment is pivotally supported; and an elongate battery pack (116).

Further, the above-mentioned flexible body (102) is formed with pockets (104, 106, 108) in which the elongate member (110) and one or more battery packs (116) are respectively disposed and held in an essentially parallel relationship. This flexible body includes a flexible extension portion (102A) which extends from one of the pockets and which is wrappable about the elongate member (110) and the battery packs (116) so that one or more pockets (106, 108) in which one or more battery packs (116) are disposed, and which are hinged to the pocket in which the elongate member is disposed by a portion or portions (102C) of the flexible body (102), are moved into the space previously occupied by the attachment. With this, the elongate member and battery pack(s) are held together and comprise a handle member which can be grasped during application of the attachment for hair styling.

A further aspect of the invention resides in a method of housing a hair styler comprising: disposing an elongate member (110) on which an hair styling attachment (112) is pivotally mounted, in one of a plurality of pockets (104, 106, 108) formed in a flexible body (102); disposing a battery pack (116) in another of the pockets; folding the hair styling attachment so that it assumes a storage position parallel to the elongate member; wrapping the flexible body around the pockets so as to pull the elongate member (110), the hair styling member (112) and the battery pack (116) into snug proximity with respect to each other; and fastening the flexible body (102) to itself using a fastener (102B) to maintain the flexible body wrapped about the elongate member (110), the hair styling member (112) and the battery pack (116).

This method also comprises releasing the fastener (102B); unwrapping the flexible body (102) to uncover the attachment; unfolding the attachment (112) so that it assumes a predetermined operative position with respect to the elongate body (110); rewinding the flexible body about the elongate member (110) and the battery pack (116) so as to pull the battery pack (116) into close proximity of the elongate member and to form a handle which can be used during use of the attachment; and refastening the fastener (102B).

The various aspects and advantages of the exemplary embodiments will become more clearly appreciated as a detailed description of the drawings is given with reference to the appended drawings wherein:

Fig. 1 is a underside plan view of a first embodiment of the invention in wherein  
 5 the soft extension wrapping member has been unwrapped and the flexible body laid out such that the attachment (wand) is uncovered ready to be pivoted to an operative position;

Fig. 2 is a perspective view showing the attachment partially pivoted from the storage position and showing the space in which it was received/stored;

Fig. 3 is a perspective view showing the attachment fully extended to an operative  
 10 position and with the soft extension wrapping member re-wrapped to tighten the two battery packs against the elongate member on which the wand is pivotally supported;

Fig. 4 is a perspective view showing the attachment folded back into its storage position and with the soft extension wrapping member wound around and fastened in place to render the arrangement ready for packing/travel;

15 Fig. 5 is a top plan view showing a second embodiment of the invention which has a differently shaped soft extension wrapping member and fastening arrangement.

Fig. 6 is a perspective view of the second embodiment showing the soft extension wrapping member opened to expose the attachment which is still folded in its storage position; and

20 Fig. 7 is a perspective view of the second embodiment showing the attachment fully extended and the space between the pontoon-like battery pack pockets in which it was disposed during storage.

The first exemplary embodiment of the invention 100 comprises a flexible body 102 formed of fabric (woven or non-woven) or similar type of material and which, in this  
 25 embodiment, resembles a quilt. The flexible body 102 is formed of multi layers of material which are sewn or connected (e.g. heat staked together) to form three elongate pockets 104, 106, 108. A layer of impact absorbing padding (not shown) is suitably disposed between the layers and held in place the sewing/connection which produces the quilt-like appearance.

30 The center pocket 104 is arranged to receive an elongate member 110 on which an attachment 112 (hereinafter referred to as a wand) is pivotally mounted by way of a pivot arrangement. The pivot arrangement allows the wand 112 to be folded back beside the

elongate member 110 during storage, and to be pivoted out to assume an operatively position wherein the wand 112 and the elongate member 110 are essentially aligned with one another. The elongate member 110 forms a part of the handle when the cordless hair styler is in use. In this embodiment, two pockets, viz., pocket 106, 108, which are formed on either side of the center pocket 104 in which the elongate member 106 is disposed, have battery packs disposed therein.

The flexible body 102 further includes a flexible extension portion 102A which resembles a flap or tie portion. This flap-like flexible extension portion 102A is arranged to be wrapped about the rigid elements of the cordless hair styler and to be secured in its wrapped condition by a fastening arrangement 102B. This embodiment the fastening arrangement 102B comprise a so called Velcro® type hook and loop fastener. This type of fastener is free of hard elements which may generate localized pressure on the rigid elements of the cordless hair styler and thus continues the theme of soft enveloping protective wrapping which is provided by the flexible body 102.

The battery packs 116 which are disposed in the pockets 106, 108 are arranged to have hinged caps (no numerals) to allow dry cells or rechargeable cells to be inserted therein. A spring or the like (not shown) is disposed at the bottom of the elongate tubular members which define the pack bodies. This spring acts as one of the two electrodes that are necessary in order to conduct the direct current from the cells which are slid into the battery packs, to the heating element provided in the wand. Although not show, a flexible connectors are disposed through the narrow hinge like portion 102C of the flexible body which separates the battery pack pockets 106, 108 and the center pocket 104, and connects the battery pack electrodes via a power supply switch (not shown per se) which is disposed with the elongate member 110, to the heating element in the wand 112.

In the first embodiment the switch is operated by a lever 120. In the second embodiment, the switch is operated by a button 220 formed on the elongate member. Inasmuch as this type of wiring and switch connection are well within the purview of those skilled in the art to which this invention pertains, no further disclosure will be given for brevity.

In the case that the lever 120 is used to control the power supply switch, the lever is 120 stored in a position wherein it lies flat against the wand 112 in the manner shown in Fig. 1. After the wand 112 is deployed, the lever 120 is pivoted through about 120-140° to

the position illustrated in Fig. 3. Depressing the lever 120 down from this position toward the elongate member 110 moves the tongue-like angled member formed at the end of the lever 120 (see Fig. 4) in a manner which activates the power supply switch.

5 If desired the hinge can be provided with a click stop to prevent the wand 112 from folding back on the operators hand during use.

When it is desired to use the cordless hair styler, all that is necessary is for the fastener to be released and for the flexible body 102 to be unwrapped to assume the state shown in Fig. 1 for example. After this, the wand 112 can be pivoted all the way from its storage position (see Fig. 2 showing the wand 112 partially pivoted from its storage  
10 position) to its operative position wherein it may clicklock in position. After this, the soft pliable member 102A can be wrapped around the battery packs 116 in a manner which draws them in under the elongate member 110 and the fastener 102B is fastened to hold the battery packs in position under the elongate member in the manner illustrated in Fig. 3.

When the use of the cordless hair styler is no longer required, the fastener 102B can  
15 be unfastened, the flexible body 102 unrolled and the wand 112 folded back against the elongate member 110 to assume a position between the battery packs 116. The flexible body 102 is then rolled up and the flexible extension portion 102A wrapped around the flexible body 102 and rigid elements (viz., the elongate member 110, the wand 112 and the battery packs 116) and the fastener 102B fastened. This results in the arrangement  
20 depicted in Fig. 4.

A socket for a charger connection is provided in the end of the elongate member 110 and concealed by a rectangular cover in the manner illustrated in Fig 7. This allows for the recharging of rechargeable batteries in the battery packs 116 and/or the operation of the hair styler using an external source of power such as a cigarette lighter socket in an  
25 automotive vehicle.

While the invention has been disclosed with reference to a limited number of embodiments, the various modifications and variations which can be made without departing from the scope of the invention, which is limited only by the appended claims, will be self-evident to those skilled in the art of container construction and shipping. For example, embodiments are possible wherein there is only one battery pack or wherein the flexible body is formed of patterned/textured material having grip improving shock absorbing bumps/projections formed therein to improve the protection of the attachment

PHUS040089US

/accessory and the battery packs against impact damage or the like. Of course, any electrically operated device could be used in place of the attachment which has been described and illustrated in this disclosure.



## CLAIMS:

1. A cordless hair styler comprising:  
a flexible body comprising a flat flexible sheet of fabric which can be wrapped and unwrapped about rigid members of the cordless hair styler to hold the rigid members in a selected compact storage and handy operative positions, respectively.
2. A hair styler as set forth in claim 1, wherein the rigid members comprise  
an attachment;  
an elongate member on which the attachment is pivotally supported; and  
an elongate battery pack.
3. A hair styler as set forth in claim 2, wherein the flexible body is formed with pockets in which the elongate member and battery pack are respectively disposed and held in an essentially parallel relationship, the flexible body including a flexible extension portion which extends from one of the pockets and is wrappable about the elongate member and the battery pack so that the pocket in which the battery pack is disposed, and which is hinged to the pocket in which the elongate member is disposed, by a portion of the flexible body, can move into the space previously occupied by the attachment and hold the battery pack in a position with respect to the elongate member such that the elongate member and battery pack comprise a handle member which can be grasped during application of the attachment for hair styling.
4. A hair styler as set forth in claim 3, wherein the flexible body is formed of a fabric-like member and which foldable like a blanket.
5. A hair styler as set forth in claim 3, wherein the flexible body is formed of a multiple layers of flexible material which are sewn together to form the pockets in which the elongate member and the battery pack are disposed.
6. A hair styler as set forth in claim 3, wherein the flexible extension member is provided with a fastener which connects the flexible extension portion to a portion of the flexible body to hold the flexible extension portion in a wrapped condition on the flexible body.
7. A hair styler as set forth in claim 3, wherein the connector comprises a Velcro® connector which has first and second portion are respectively attached to selected portions of the flexible body or the flexible extension portion to permit storage and operative state wrapping configurations to be made.

8. A hair styler as set forth in claim 3, further comprising electrically conductive wires which are disposed in the flexible body to interconnect the battery pack and the attachment.
9. A hair styler as set forth in claim 8, wherein the wires pass through a hinge portion formed in the flexible body between the pocket in which the elongate member is disposed and the pocket in which the battery pack is disposed.
10. A hair styler as set forth in claim 8, further comprising a switch mounted on the elongate member and operatively interposed between the battery pack and the attachment to control the supply of current from the battery pack to the attachment.
11. A hair styler as set forth in claim 10, wherein the attachment comprises a wand containing a heating element and a hair clamp which is pivotally supported on the wand to press hair against the wand.
12. A method of housing a hair styler comprising:
  - disposing an elongate member on which an hair styling attachment is pivotally mounted, in one of a plurality of pockets formed in a flexible body;
  - disposing a battery pack in another of the pockets;
  - folding the hair styling attachment so that it assumes a storage position parallel to the elongate member;
  - wrapping the flexible body around the pockets so as to pull the elongate member, the hair styling member and the battery pack into snug proximity with respect to each other; and
  - fastening the flexible body to itself using a fastener to maintain the flexible body wrapped about the elongate member, the hair styling member and the battery pack.
13. A method as set forth in claim 12, further comprising:
  - releasing the fastener;
  - unwrapping the flexible body to uncover the attachment;
  - unfolding the attachment so that it assumes a predetermined operative position with respect to the elongate body;
  - rewrapping the flexible body about the elongate member and the battery pack so as to pull the battery pack into close proximity of the elongate member and to form a handle which can be used during use of the attachment; and
  - refastening the fastener.

ABSTRACT

The invention pertains to a cordless hair styler which has a flexible body comprising a flat flexible sheet of fabric which can be wrapped and unwrapped about rigid members of the cordless hair styler to hold the rigid members in a selected storage and  
5 operative positions with respect to one another.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6




FIG. 7